

Torque Wrenches/Measuring



Micrometer Adjustable Fixed Ratchet SDR Series Torque Wrenches

ISO/IEC 17025 certification!

Rotating grip for torque adjustment. Thumbscrew mechanism locks handle to avoid torque value change during use. Ball-bearing roll over assembly assure smooth operation, enhances repeatability, and increases wrench cycle life; Audible and tactile impulse emitted at torque value; Cushioning, oil/chemical resistant grip. Includes case. Accuracy: $\pm 4\%$ of indicated value. (USA)

Cat No.	Drive Size	Torque Min (in lbs)	Torque Max (in lbs)	Steps of Graduations	Length	PRICE
STU-810749-DS	1/4"	10	50	1 in. lbs.	10-1/8"	\$201.00
STU-810750	1/4"	30	150	2 in. lbs.	10-1/8"	\$207.00
STU-810751	3/8"	30	150	2 in. lbs.	10-5/8"	\$212.00
STU-810761	3/8"	40	200	2 in. lbs.	10-11/16"	\$212.00



Exacta® 2 Digital Torque Wrench

NEW!

Large, high-contrast LCD displays torque and other critical information. Three modes of operation - Track, Peak and Residual accommodate assembly and auditing. Residual mode improves torque audit consistency for most hard and medium joints. Accurate to $\pm 1\%$ of indicated value from 20% to 100% of rated capacity in Track and Peak modes. Visual guide and audio prompt indicate when torque setting is reached. Includes serial cable for communication with a PC. Readings are recorded on the wrench in a batch and can be downloaded to most applicable software. Up to 999 torque values recalled and/or downloaded. Uses 4 AA batteries (not included). (USA)

Cat No.	Drive Size	Torque Max (ft. lbs.)	Lever Length	OAL	PRICE
STU-10530	3/8"	2-25	12.5"	16.1"	\$920.00
STU-10531	3/8"	2-75	15.8"	19.4"	\$920.00
STU-10532	1/2"	2-150	17.8"	21.5"	\$940.00

Charger and 4 AA NiMH 2200 mAh batteries
No. STU-21259\$58.00



Adjustable Torque Screwdriver Kit, 43-pc., 20 in.-oz. to 30 in.-lb.

Comes with both the TS-30 and TS-100 adjustable torque limiting screwdrivers and a multitude of useful accessories -- all in a hard plastic case with an insert. Includes: Torque screwdriver blade: .080; (2) .100; Hex Socket: 3/32"; (2) 7/64"; Hex Keys: .028"; (2) .035"; Screwdriver Hex Bits: (2) .050"; (2) 1/16"; (2) 5/64"; 3/32"; 1/8"; 5/32"; Screwdriver Blade Torque Screws: (2) SZ. 2, 3; (2) SZ. 4, 5; SZ. 5, 6; SZ. 6, 8; Phillips Blade Torque Screw: (2) SZ. 0, 1; (2) SZ. 2, 3, 4; SZ. 4, 6, 7, 8, 10; (2) Adapter 1/4" Drive; (2) Bit Holder Mini. Torque; 1/4" Driver Regular Sockets: 1/8"; 5/32"; (2) 3/16"; 1/4"; 5/16".

No. UTI-KT-130\$880.00



GREENLEE Mini-Magnet Laser Level

Combines "no-dog" features with a laser. Help align conduit, electric panel boxes, plumbing cabinets and more. Features: Three rate-earth magnets, compact size. Range over 80 yards. 4-vial design (0°, 90°, 45°, 30°); V-groove on top for easy view of vials. Dimensions: 5.63" L X .75" W X 1.81" H.

No. GRE-L97\$96.93



Level

Three standard bubble indicators (0°, 45°, and 90°) and makes it convenient for any tool kit. 9" length. The magnetic level edge allows it to attach to metal for easy use.

No. JOH-7500M 9" Magnetic\$5.62 No. JOH-7500 9" Non-Magnetic\$5.50



Feeler Gauge

15 leaf gauge includes .002" to .025" and .051mm to .635mm leaves. Made of fine quality tempered steel to exacting tolerances. Each leaf is etched with both inch and millimeter sizes. Nickel-plated case has knurled locking nut for precise positioning.

No. GEN-231\$5.75



DB/DBE/DBR Dial Indicating Torque Wrenches

Memory pointer for easy reading. Ideal for torque measuring or quality inspections.

Cat No.	Model	Torque Range		OAL	PRICE
		min/max in-lbs	Gradation in-lbs		
TOH-DB13I-2AS	DB13I-2AS	0-13	0.2	8-7/8"	\$252.00
TOH-DB40I-2AS	DB40I-2AS	0-40	0.5	9-1/16"	\$252.00



QL/QLE Adjustable Torque Wrenches

Basic adjustable click-type torque wrench. Torque value easily set with external scale and knob. Resin grip.

Cat No.	Model	Torque Range		OAL	PRICE
		min/max in-lbs	Gradation in-lbs		
TOH-QL50I-2A	QL-50I-2A	10-50	0.5	6.3"	\$182.00
TOH-QL100I-2A	QL-100I-2A	20-100	1	7-19/64"	\$182.00



QSP Preset Torque Wrenches

Preset with ratcheting head. No external scales, Setting secured and not easily changed.

Cat No.	Model	Torque Range		Square Drive	OAL	PRICE
		min/max (in-lbs)	Gradation			
TOH-QSP6N4	QSP6N4	10-50	1/4"	7.28"	\$137.00	
TOH-QSP12N4	QSP12N4	20-100	1/4"	7.28"	\$137.00	
TOH-QSP25N3	QSP25N3	50-200	3/8"	8.46"	\$137.00	

5" Plastic Thickness Gauge

Includes:
Amber: .001"/.025mm;
Purple: .0015"/.038mm;
Red: .002"/.051mm;
Green: .003"/.076mm;
Tan: .004"/.102mm;
Blue: .005"/.127mm;
Matte: .0075"/.191mm;
Brown: .010"/.254mm;
Black: .0125"/.318mm;
Pink: .015"/.381mm; Yellow: .020"/.508mm;
White: .025"/.635mm; Coral: .030"/.762mm.

5" Fan Blade. (USA)
No. PBP-78905\$33.18



Measuring Tools

Tape Measures

Lufkin® 16', 25' or 30' Pro Series Power Return Tape



Ny-Clad, blade coating extends life 5 times longer than standard. Patented end hook lasts 10 times longer than ordinary end hooks. Non-slip toggle lock allows complete control of power tape blade. Rubber cushion shell protects tape from impact and improves grip. Compact size, removable belt clip.

No. LUF-PS3430 1" x 30'\$21.72
No. LUF-PS3425 1" x 25'\$20.84
No. LUF-PS3316 3/4" x 16'\$17.77

Lufkin® 25' Quikread Power Return Tape



Vertically numbered tape measure has graduations printed in fractions and decimal equivalents. (USA)

No. LUF-QR1425 1" W x 25' L\$16.29
No. LUF-QR1312 3/4" W x 12' L\$10.61

NEW!


Lufkin® 10' Mezurall® Economy Power Return Tape



1/2" x 10' yellow clad blade. Power retraction operation. Belt clip. Lightweight, high-strength matte black case.

No. LUF-Y8210\$10.94

Lufkin® Hi-Viz Tapes



Universal lightweight measuring tape has easy to read markings and easy-wind nylon drum. Polystyrene case. Blade includes a two sided end hook with scales in Metric or English. Replacement blades available.

No. LUF-HV30CME 100' Orange\$29.37

Lufkin® Mezurall® Combo Metric/English



1/2" (13mm) x 3m/10' long bi-tape. Chrome case and A11 blade style. (USA)

No. LUF-W9210ME\$16.07



KLEIN TOOLS

One Hand Operation! Magnetic End Measuring Tape

Large magnetic dual-end hook sticks to ferrous metals for easy one person measuring. Double sided markings. Positive blade lock. 1" wide.

No. MKS-918-16RE (16')\$22.40
A. No. MKS-918-25RE (25')\$27.32

Same as above with single end hook single blade marking

B. No. MKS-916-25RE (25')\$26.16

Stainless Steel Rulers

GENERAL



616 Flexible Rule

Graduated in 10ths and 100ths on one side, 32nds and 64ths on reverse side. Stainless steel, 15/32" wide, 6" long.

No. GEN-616\$5.99



300/1 Flexible Rule with Pocket Clip

Graduated in 32nds and 64ths on one side, decimal equivalents on reverse side. Pocket clip is also a depth gauge. Stainless steel, 15/32" wide, 6" long.

No. GEN-300/1\$2.77

1216 Flexible Rule

Graduated in 10ths and 100ths on one side, 32nds and 64ths on reverse side. Stainless steel, 15/32" wide, 12" long.

No. GEN-1216\$10.21



1276 Rigid Rule

Marked with 32nds and 64ths on one side, with 8ths and 16ths on the other. Stainless steel, 1" wide, 12" long.

No. GEN-1276\$14.48

GENERAL

Combination Squares



12" x 1" satin chrome finish steel blade Front graduated in 8ths and 16ths, back in 16ths and 32nds. Cast iron head machined and enameled, has hair-line level and scriber.

No. GEN-812\$39.51

NEW! Electrical Code Calculator

The **ElectriCalc® Pro** is a complete electrical reference tool that will save time, trouble and money. Solve tough electrical calculations in seconds and deliver those solutions in conformance with the latest NEC®. Updates to future code revisions with easy-to-install kit. 8-digit LCD with annunciator-legends. Auto shut-off.

Includes: Long-life 3 V battery, User's Guide, Pocket Reference Guide and ergonomic flip-top cover protective case.

No. CLC-5065\$99.95



Professional Grade U. S. Standard to Metric Conversion Calculator

The **Ultra Measure Master** is the most complete and easy-to-use U.S. Standard to Metric conversion calculator available. With more than 400 conversion combinations at your fingertips you can easily calculate linear, area and volume measurements with just the touch of a few buttons. User Preferences feature lets you set custom options. Meets federal highway metrication requirements. Includes protective slide cover.

No. CLC-8025\$49.95



NEW! Digital Plan Measure

An ideal tool for preparing bids and estimates in the field or office, the affordable new **Scale Master® Pro** provides fast, accurate linear, area and volume take-offs from blueprints, drawings and maps. Use it like a pen—just roll and measure! New ergonomic design and dual LCD displays make it easier to hold and read. Features seventy-two built-in scales—6 custom scales and 2 built-in memories. **Includes:** User's Guide, (2) long-life Lithium batteries and soft vinyl pouch.

No. CLC-8025\$49.95




Measuring Tools

Roller Tapes

ROLATAPE®
CORPORATION

300 Series

Professionals rely on the smooth rolling, accurate 300 Series to perform a wide variety of measuring tasks on pavement, dirt and rough surfaces. Insert-and-Lock handle for easy transport and storage. 5-digit ratchet counter measures up to 100,000 meters with convenient reset knob. Heavy-duty all steel construction.




NEW!

Cat. No.	ROL-300M
Model	300M
Measure Units	Meters
Wheel Circumference	1 M
Collapsed Dimensions	56.5 cm
Extended Dimensions	104.1 cm
Price	\$124.05

ROLATAPE®
CORPORATION

ProMARKER 400PM

The ProMarker® 400 is the most rugged all-purpose measuring/marking wheel on the market. It incorporates a unique marking wand and stand that lets you measure and mark while you walk. No more carrying a can of paint or bending to apply. Ideal for the measuring and marking needs of utilities, cabling, telecommunications and more.



NEW!

Cat. No.	ROL-400PM	ROL-400MPM
Model	400PM	400MPM
Measure Units	Feet	Meters
Wheel Circumference	4'	1.2 M
Price	\$224.06	\$224.06

ROLATAPE®
CORPORATION

400 Series


The world's #1 selling industrial measuring wheel for utilities, cable, telecommunications and other critical measuring applications. Records up to 100,000 feet or meters with convenient reset knob. 4-foot circumference wheel makes it easier to measure accurately on rough terrain. Features an automatic brake/mud scraper and stand.



NEW!

Cat. No.	ROL-400	ROL-400M
Model	400	400M
Measure Units	Feet	Meters
Wheel Circumference	4'	1.2 M
Collapsed Dimensions	29"	73.6 cm
Extended Dimensions	45-3/4"	116.2cm
Price	\$206.81	Missing

Calipers



Dial Inside/Outside Calipers


Stainless steel hardened throughout with measuring faces precision ground and micro-lapped for ultimate accuracy. Scale surface of satin chrome w/micro-fine engraved graduations. Adjustable dial and depth rod with thumb roll for fast adjustment. Raised sliding surface prevents defacement of graduations.

4-way jaws (1.6" depth): inside, outside, step, depth measurement.
No. FOW-52-010-008 Range: 0-8"; Gradation: .001"\$150.00
No. FOW-52-010-012 Range: 0-12"; Gradation: .001"\$150.00

ProMax Snap Caliper

Measures metal, plastics, glass, small wires, fibers, paper. Snap action for simple use w/accurate & repeatable results. **Features:** Range 0-1.27"; Resolution .0005" (.01mm); Swiss Sylvac electronics; Flat blades; Direct in/mm conversion; Measuring speed 60"/sec; Accuracy .001" (.02mm); Large LCD display; RS-232C output to PC; Hardened stainless steel; Hanging loop included; Zero/Hold/Output button; Portable - fits in hand. 3 Year Warranty.

No. FOW-54-550-000\$115.00




GENERAL 6" Digital Caliper

Accurate inch/metric measurements. Direct reading 0.001/0.1mm, adjustable zero, and friction thumb roller. Direct reading 0-6"/0-150mm. Measures inside, outside, depth & step.
No. GEN-146\$29.96



6" Electronic Digital Caliper

Range: 0-6"/0-150mm. Accuracy: .001"/.025m. Length of Bottom Jaws: 1.6"/40mm. Length of Top Jaws: .700"/18mm. Resolution/Repeatability: .0005/.01mm.
No. FOW-54-100-444-0\$169.50



6" Plastic Inch Dial Caliper

Non-conductive calipers with metal-like qualities. 4-way measurement with thumb-roller and lock switch for easy adjustment: inside, outside, depth and step. Fitted case.
No. SPS-30-412-1\$33.00

**MORE PRODUCTS AVAILABLE ONLINE
AT WWW.TIMEMOTION.COM**



Prices in this catalog are effective August 1, 2011. While we attempt to hold prices, we cannot control when our vendors increase prices.

We reserve the right to correct misprints.

SAME DAY SHIPPING!
www.timemotion.com